



Product overview



Standard product

E-Mobby

Standard outfitting

LiFePO4 battery pack

On board charger

Armrests and footboard swing-up

With patented transport fixation

Steel non padded seating

1000 Watt motors

Choice from our standard colours



Description

Introducing the e-Mobby: Your Efficient and Ergonomic Solution for Electric PRM Transport.

The e-Mobby redefines electric mobility with its seamless design and versatility. Whether used solo or in combination with Mobby's, it effortlessly transports up to three passengers and luggage at once, offering unmatched convenience.

For enhanced functionality, opt for the electronic linking system to connect Mobby's seamlessly. Experience the future of electric PRM transport with the e-Mobby.



A general manufacturer's warranty of 2 years applies to our products. The warranty applies to the frame and paintwork and covers any production errors that are reasonably culpable to us.

parts subject to regular wear and tear and damages resulting directly from the regular use of our products or misuse and vandalism will not be covered under warranty

Customisation options

E-Mobby

Options

- Airport Essentials Package (including several discounted options)
- Double automatic seatbelt XL
- Luggage rack
- Crutch holder

Padded comfort seat 5cm

Padded comfort back 5cm

Bagholder per piece

Name / logo plate

Brakehandle fixation

Electric Link&Go e-Mobby

XL seat w/ padded comfort seat

Dashcam e-Mobby

Towbar for Bagage Cart

Extended attendants board

AGM Sealed battery pack

(instead of LiFePO4)


Functionalities

Powered by high-performance motors and equipped with a high-capacity battery pack, the e-Mobby delivers reliable performance with extended range. Dynamic LinX controls enable remote troubleshooting and updates worldwide, ensuring continuous operation.

With onboard charging and comfortable, easy-to-clean seating, the e-Mobby prioritizes passenger comfort and convenience. Safety is paramount, with features including a flashing beacon, acoustic warning signal, horn, emergency stop, and deadman's switch.

Technical information

E-Mobby



When you hover over a technical specification, you will get a more detailed description here.

Technical specifications

Weight 154,6kg

Overall height 198,9 cm

Overall length 177,5 cm

Overall width 70 cm

450kg load capacity

150kg Link&Go weight capacity

Puncture proof non-marking tires

Ground clearance 4,3 cm

Effective seat depth is 400 mm, effective seat

width is 500 mm

Electromagnetic brake system

DynamicControls (LinX) drive system

Electric brushed DC-24V 1000W motors (2x)

Turning circle 177,5 cm, 360°

Batteries: standard equipped with 2× AGM lead batteries (85A @ DC-24V), optionally 2×

lithium-ion batteries (100A @ DC-24V).

Charging: on-board charging cable w/ optional regional plug. Power consumption ±880W

(±220V * 4A), max. charging time: 3,5 hours.

Standard max. forward speed 8 km/h

Standard max. backwards speed 2km/h

Max. slope percentage: 8%



ePowerTrucks





